

299552Q



Aluminum Handle, waterfed,  
Q-Coupling and on/off Water  
Switch (Q), Ø31 mm, 1575  
mm, Black



A professional water-fed handle with an insulated sleeve for a comfortable grip and an on/off switch. Maximum water pressure, 6 bars.

# Technical Data

<b>Item Number</b>	299552Q
<b>Material</b>	Anodised Aluminium Polypropylene Chromium-plated brass
<b>Complies with REACH Regulation (EC) No. 1907/2006</b>	Yes **
<b>Complies with California Proposition 65</b>	No
<b>SCIP number</b>	e49c50b5-7653-429c- b8f3-803d37b5fetc
<b>Complies with Halal and Kosher</b>	Yes
<b>Phthalates and bisphenol A intentionally added</b>	No
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>	710 Pcs.
<b>Quantity Per Layer (Pallet)</b>	40 Pcs.
<b>Product Diameter</b>	31 mm
<b>Length/Depth</b>	1575 mm
<b>Width</b>	31 mm
<b>Height</b>	31 mm
<b>Net Weight</b>	0.66 kg
<b>Weight cardboard (Recycling symbol "20" PAP)</b>	0.04 kg
<b>Tare total</b>	0.04 kg
<b>Gross Weight</b>	0.7 kg
<b>Cubic metre</b>	0.001514 M3
<b>Max. bars pressure</b>	6 Bar
<b>Max usage temperature (non food contact)</b>	50 °C
<b>Min. pH-value in usage concentration</b>	4 pH
<b>Max. pH-value in Usage Concentration</b>	11 pH
<b>GTIN-13 Number</b>	5705022995529
<b>GTIN-14 Number (Box quantity)</b>	15705022995526
<b>Customs Tariff No.</b>	76169990
<b>Country of origin</b>	Denmark

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.